

# MARTIN METAL BUILDING PRODUCTS, LLC



## TRIM CATALOG




4600 S. Old Wire Rd.  
Rogers, AR 72758




479-621-0636  
Sales@MetalBuildingProducts.com


**29 Gauge Panel Lock +5 Low Rib 3/4**



**29 Gauge R-Loc Low Rib 1 1/4**




### 13" RIDGE CAP




### 19" RIDGE CAP




### PEAK PLATE




### RAKE AND CORNER




### MINI CORNER




### VALLEY TRIM




### GABLE TRIM




### DOOR EDGE




### INSIDE CORNER




### ROLL SILL TRIM 14' 2"



### J TRIM




### 1" DOUBLE ANGLE







### 2" DOUBLE ANGLE




### 1" RAT GUARD




### 1.5" RAT GUARD




### SQUARE BASE



### ROUND TRACK COVER




### SQUARE TRACK COVER




### UNIVERSAL SIDEWALL




### UNIVERSAL ENDWALL




### UPPER GAMBREL




### LOWER GAMBREL




### WINDOW DRIP CAP




### SINGLE ANGLE




### INSIDE ANGLE



### POST TRIM




### DOOR POST TRIM



### RESIDENTIAL RIDGECAP




### RESIDENTIAL HIP CAP




### 6" BEADED FASCIA




### RESIDENTIAL RAKE TRIM




### RESIDENTIAL EAVE TRIM




### RESIDENTIAL DRIP EDGE




### FASCIA



### OVERHEAD DOOR WITH J




### SOFFIT J TRIM







### PANEL LOCK PLUS F&J



### SOFFIT F&J





1. Post Trim (1.5 x 3.5; 1.5 x 5.5; 1.5 x 7.5)
2. Track Cover
3. Ridge Cap
4. Drip Cap
5. Soffit Trim
6. J-Trim
7. Rat / Base Guard
8. Sidewall Flash
9. Inside Corner
10. Corner
11. Overhead Door Jamb
12. Angle Trim (1.5 x 1.5; 2 x 2; 3 x 3)
13. Rat / Base Guard
14. Fascia / Eave Trim / Gutter
15. Endwall Flash
16. Rake / Gable Trim

All steel used for animal confinement, or allowed to get wet and sit in a stack before installation, will void warrenty if applicable.